



Figure A3. SEM-images of nanostructured coatings cross-sections: tantalum oxide (a), tantalum oxynitride (b), tantalum nitride (c), tantalum (d).

References

- Mani, G.; Feldman, M.D.; Patel, D.; Agrawal, C.M. Coronary stents: A materials perspective. *Biomaterials* **2007**, *28*, 1689–1710. [[CrossRef](#)]
- Papiro, I.I. *Materials of Medical Stents: Review*; NSC KIPT: Kharkov, Ukraine, 2010. (In Russian)
- Rudnev, V.S.; Medkov, M.A.; Kilin, K.N.; Ustinov, A.Y.; Belobeletskaya, M.V.; Steblevskaya, N.I.; Mutylina, I.N.; Zherebtsov, T.O. Plasma-electrolytic formation of Ta-containing oxide coatings on titanium. Their composition and properties. *Prot. Met. Phys. Chem. Surf.* **2013**, *49*, 717–723. [[CrossRef](#)]
- Matsuno, H. Biocompatibility and osteogenesis of refractory metal implants, titanium, hafnium, niobium, tantalum and rhenium. *Biomaterials* **2001**, *22*, 1253–1262. [[CrossRef](#)]
- Leng, Y.; Chen, J.; Yang, P.; Sun, H.; Wang, J.; Huang, N. The biocompatibility of the tantalum and tantalum oxide films synthesized by pulse metal vacuum arc source deposition. *Nucl. Instrum. Methods Phys. Res. Sect. B* **2006**, *242*, 30–32. [[CrossRef](#)]
- Matsumoto, A.H.; Teitelbaum, G.P.; Barth, K.H.; Carvlin, M.J.; Savin, M.A.; Strecker, E.P. Tantalum vascular stents: In Vivo evaluation with MR imaging. *Radiology* **1989**, *170*, 753–755. [[CrossRef](#)]
- Wang, C.; Li, X.; Tong, C.; Cai, A.; Guo, H.; Yin, H. Preparation, In Vitro bioactivity and osteoblast cell response of Ca-Ta₂O₅ nanorods on tantalum. *Surf. Coat. Technol.* **2020**, *391*, 125701. [[CrossRef](#)]
- Cardonne, S.M.M.; Kumar, P.; Michaluk, C.A.A.; Schwartz, H.D.D. Tantalum and its alloys. *Int. J. Refract. Met. Hard Mater.* **1995**, *13*, 187–194. [[CrossRef](#)]
- Catania, P.; Doyle, J.P.; Cuomo, J.J. Low resistivity body-centered cubic tantalum thin films as diffusion barriers between copper and silicon. *J. Vac. Sci. Technol. A* **1992**, *10*, 3318–3321. [[CrossRef](#)]
- Kim, S.; Cha, B. Deposition of tantalum nitride thin films by D.C. magnetron sputtering. *Thin Solid Films* **2005**, *475*, 202–207. [[CrossRef](#)]
- Gladczuk, L.; Patel, A.; Paur, C.S.; Sosnowski, M. Tantalum films for protective coatings of steel. *Thin Solid Films* **2004**, *467*, 150–157. [[CrossRef](#)]
- Natishan, P.; McCafferty, E.; Puckett, P.; Michel, S. Ion beam assisted deposited tantalum oxide coatings on aluminum. *Corros. Sci.* **1996**, *38*, 1043–1049. [[CrossRef](#)]
- Hino, T. Effect of Droplets on Corrosion Resistance of Tantalum Oxide Films Fabricated by PLD. *J. Laser Micro Nanoeng.* **2011**, *6*, 10–14. [[CrossRef](#)]
- Khemasiri, N.; Jessadaluk, S.; Chananonwathorn, C.; Vuttivong, S.; Lertvanithphol, T.; Horprathum, M.; Eiamchai, P.; Patthanasettakul, V.; Klamchuen, A.; Pankiew, A.; et al. Optical band engineering of metal-oxynitride based on tantalum oxide thin film fabricated via reactive gas-timing RF magnetron sputtering. *Surf. Coat. Technol.* **2016**, *306*, 346–350. [[CrossRef](#)]
- Bah, S.T.; Ba, C.O.; D’Auteuil, M.; Ashrit, P.; Sorelli, L.; Vallée, R.; Soreli, L. Fabrication of TaOxNy thin films by reactive ion beam-assisted ac double magnetron sputtering for optical applications. *Thin Solid Films* **2016**, *615*, 351–357. [[CrossRef](#)]
- Venkataraj, S.; Kittur, H.; Drese, R.; Wuttig, M. Multi-technique characterization of tantalum oxynitride films prepared by reactive direct current magnetron sputtering. *Thin Solid Films* **2006**, *514*, 1–9. [[CrossRef](#)]
- Jong, C.-A.; Chin, T.S. Optical characteristics of sputtered tantalum oxynitride Ta(N,O) films. *Mater. Chem. Phys.* **2002**, *74*, 201–209. [[CrossRef](#)]
- Navid, A.; Hodge, A. Nanostructured alpha and beta tantalum formation—Relationship between plasma parameters and microstructure. *Mater. Sci. Eng. A* **2012**, *536*, 49–56. [[CrossRef](#)]
- Shiri, S.; Zhang, C.; Odeshi, A.; Yang, Q. Growth and characterization of tantalum multilayer thin films on CoCrMo alloy for orthopedic implant applications. *Thin Solid Films* **2018**, *645*, 405–408. [[CrossRef](#)]
- Liu, L.L.; Xu, J.; Lu, X.; Munroe, P.; Xie, Z.-H. Electrochemical Corrosion Behavior of Nanocrystalline β-Ta Coating for Biomedical Applications. *ACS Biomater. Sci. Eng.* **2016**, *2*, 579–594. [[CrossRef](#)]

21. Pham, V.-H.; Lee, S.-H.; Li, Y.; Kim, H.-E.; Shin, K.-H.; Koh, Y.-H. Utility of tantalum (Ta) coating to improve surface hardness In Vitro bioactivity and biocompatibility of Co–Cr. *Thin Solid Films* **2013**, *536*, 269–274. [CrossRef]
22. Li, X.; Wang, L.; Yu, X.; Feng, Y.; Wang, C.; Yang, K.; Su, D. Tantalum coating on porous Ti6Al4V scaffold using chemical vapor deposition and preliminary biological evaluation. *Mater. Sci. Eng. C* **2013**, *33*, 2987–2994. [CrossRef]
23. Moreira, H.; Barbosa, A.A.C.; Marques, S.M.; Sampaio, P.; Carvalho, S. Evaluation of cell activation promoted by tantalum and tantalum oxide coatings deposited by reactive DC magnetron sputtering. *Surf. Coat. Technol.* **2017**, *330*, 260–269. [CrossRef]
24. Hee, A.C.; Cao, H.; Zhao, Y.; Jamali, S.S.; Bendavid, A.; Martin, P.J. Cytocompatible tantalum films on Ti6Al4V substrate by filtered cathodic vacuum arc deposition. *Bioelectrochemistry* **2018**, *122*, 32–39. [CrossRef] [PubMed]
25. Gruen, T.A.; Poggie, R.A.; Lewallen, D.G.; Hanssen, A.D.; Lewis, R.J.; O’Keefe, T.J.; Stulberg, S.D.; Sutherland, C.J. Radiographic evaluation of a monoblock acetabular component: A multicenter study with 2-to 5-year results. *J. Arthroplast.* **2005**, *20*, 369–378. [CrossRef]
26. Maccauro, G.; Iommetti, P.R.; Muratori, F.; Raffaelli, L.; Manicone, P.F.; Fabbri, C. An overview about biomedical applications of micron and nano size tantalum. *Recent Pat. Biotechnol.* **2009**, *3*, 157–165. [CrossRef]
27. Levine, B.R.; Sporer, S.; Poggie, R.A.; Della Valle, C.J.; Jacobs, J.J. Experimental and clinical performance of porous tantalum in orthopedic surgery. *Biomaterials* **2006**, *27*, 4671–4681. [CrossRef]
28. Khan, F.A.; Rose, P.S.; Yanagisawa, M.; Lewallen, D.G.; Sim, F.H. Surgical Technique: Porous Tantalum Reconstruction for Destructive Nonprimary Periacetabular Tumors. *Clin. Orthop. Relat. Res.* **2012**, *470*, 594–601. [CrossRef] [PubMed]
29. Yang, C.; Li, J.; Zhu, C.; Zhang, Q.; Yu, J.; Wang, J.; Wang, Q.; Tang, J.; Zhou, H.; Shen, H. Advanced antibacterial activity of biocompatible tantalum nanofilm via enhanced local innate immunity. *Acta Biomater.* **2019**, *89*, 403–418. [CrossRef] [PubMed]
30. Silva, R.A.; Walls, M.; Rondot, B.; Belo, M.D.C.; Guidoin, R. Electrochemical and microstructural studies of tantalum and its oxide films for biomedical applications in endovascular surgery. *J. Mater. Sci. Mater. Electron.* **2002**, *13*, 495–500. [CrossRef]
31. Papirov, I.I.; Tikhonovsky, M.A.; Shokurov, V.S.; Pikalov, A.I.; Sivtsov, V.S.; Storozhilov, G.E.; Emljaninova, T.G.; Mazin, A.I.; Shkuropatenko, V.A. Reception of fine-grained tantalum. *Bull. Kharkov Univ.* **2005**, *664*, 99–102.
32. Liu, L.; Xu, J.; Jiang, S. Nanocrystalline β -Ta Coating Enhances the Longevity and Bioactivity of Medical Titanium Alloys. *Metals* **2016**, *6*, 221. [CrossRef]
33. Ding, M.; Wang, B.; Li, L.; Zheng, Y. Preparation and characterization of Ta_xN_{1-x} coatings on biomedical 316L stainless steel. *Surf. Coat. Technol.* **2010**, *204*, 2519–2526. [CrossRef]
34. Rodionov, I.V.; Proskuryakov, V.I.; Koshuro, V.A. Morphology of oxide films on the tantal after thermal air treatment. *Mod. Mater. Technol. Technol.* **2018**, *17*, 58–65.
35. Dai, W.; Shi, Y. Effect of Bias Voltage on Microstructure and Properties of Tantalum Nitride Coatings Deposited by RF Magnetron Sputtering. *Coatings* **2021**, *11*, 911. [CrossRef]
36. Zaman, A.; Shen, Y.; Meletis, E.I. Microstructure and Mechanical Property Investigation of TaSiN Thin Films Deposited by Reactive Magnetron Sputtering. *Coatings* **2019**, *9*, 338. [CrossRef]
37. Kumar, M.; Kumari, N.; Kumar, V.P.; Karar, V.; Sharma, A.L. Determination of optical constants of tantalum oxide thin film deposited by electron beam evaporation. *Mater. Today Proc.* **2018**, *5*, 3764–3769. [CrossRef]
38. Cheviot, M.; Gouné, M.; Poulon-Quintin, A. Monitoring tantalum nitride thin film structure by reactive RF magnetron sputtering: Influence of processing parameters. *Surf. Coat. Technol.* **2015**, *284*, 192–197. [CrossRef]
39. Riekkinen, T.; Molarius, J.; Laurila, T.; Nurmela, A.; Suni, I.; Kivilahti, J. Reactive sputter deposition and properties of Ta_xN thin films. *Microelectron. Eng.* **2002**, *64*, 289–297. [CrossRef]
40. Petrovskaya, A.S.; Lapitskaya, V.; Melnikova, G.; Kuznetsova, T.A.; Chizhik, S.A.; Zykova, A.V.; Safonov, V.I. Hydrophilic properties of surface of nanostructured tantalum films and its oxynitride compounds. *J. Phys. Conf. Ser.* **2019**, *1281*, 012061. [CrossRef]
41. Yakovin, S.; Dudin, S.; Zykov, A.; Farenik, V. Integral cluster set-up for complex compound composites synthesis. *Probl. At. Sci. Technol. Ser. Plasma Phys.* **2011**, *1*, 152–154.
42. Yakovin, S.D.; Dudin, S.V.; Zykov, A.V.; Farenik, V.I.; Karazin, V.N. Synthesis of thin-film Ta₂O₅ coatings by reactive magnetron sputtering. *Probl. At. Sci. Technol. Ser. Plasma Phys.* **2016**, *6*, 248.
43. Dudin, S.; Yakovin, S.; Zykov, A.; Yefymenko, N. Optical and mass spectra from reactive plasma at magnetron deposition of tantalum oxynitride. *Probl. At. Sci. Technol. Ser. Plasma Phys.* **2021**, *1*, 122.
44. Chizhik, S.A.; Rymuza, Z.; Chikunov, V.V.; Kuznetsova, T.A.; Jarzabek, D. Micro- and nanoscale testing of tribomechanical properties of surfaces. In *Recent Advances in Mechatronics, Proceedings of the 7th International Conference Mechatronics 2007, Warsaw University of Technology, Warsaw, Poland, 19–21 September 2007*; Jablonski, R., Turkowski, M., Szweczyk, R., Eds.; Springer: Berlin/Heidelberg, Germany, 2007; pp. 541–545.
45. Hertzian Contact Stress Calculator. 2013. Available online: <http://www.amesweb.info/HertzianContact/HertzianContact.aspx/> (accessed on 9 October 2018).
46. Budynas, R.G.; Nisbett, J.K. *Shigley’s Mechanical Engineering Design*, 10th ed.; McGraw-Hill: New York, NY, USA, 2014.
47. Kuznetsova, T.; Lapitskaya, V.; Chizhik, S.; Kuprin, A.; Tolmachova, G.; Ovcharenko, V.; Gilewicz, A.; Lupicka, O.; Warcholinski, B. Friction and Wear of Cr-O-N Coatings Characterized by Atomic Force Microscopy. *Tribol. Ind.* **2019**, *41*, 274–285. [CrossRef]